

SQL Server Configuration Report - Version 2.0

 Report executed on SERVERNAME\SQL2014 SQL Server at Mar 2 2015
 6:36PM

** Loading sp_configure details **

Configuration option 'show advanced options' changed from 0 to 1. Run the
 RECONFIGURE statement to install.
 Configuration option 'show advanced options' changed from 1 to 0. Run the
 RECONFIGURE statement to install.

** sp_configure details loaded **

***** SQL Server Summary *****

Detection of SQL Server name\Instance name --> SERVERNAME\SQL2014
 Detection of Installation Date --> Jan 11 2015 5:22PM
 Detection of Machine Name --> SERVERNAME

Detection of Edition and BIT Level --> Developer Edition (64-bit)
 Detection of Production Service Pack Level --> RTM
 Detection of Production Name --> 12.0.2456.0
 Detection of Production Version --> SQL Server 2014

Detection of Logical CPU Count --> 8
 Detection of Maximum Memory (Megabytes) --> 6000
 Detection of Minimum Memory (Megabytes) --> 16

Detection of Default Domain Name --> EUROPE
 Detection of Service Account name --> NT Service\MSSQL\$SQL2014
 Detection of Clustered Status --> Not Clustered
 Detection of Clustered --> SQL Server is not clustered

Detection of Kerberos --> TCP is using Kerberos
 Detection of Security Mode --> SQL Server Authentication Security
 Mode
 Detection of Audit Level --> Failed logins only

Detection of User Mode --> Multi User
 Detection of Collation Type --> Cyrillic_General_CI_AS
 Detection of SQL Server Errorlog Location -->
 D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\Log\
 Detection of SQL Server Default Trace Location -->
 D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\Log\log.trc
 Detection of Number of Link Servers --> 1

Detection of SysAdmin Members

Role	Login\Member Name
sysadmin	sa
sysadmin	NT SERVICE\SQLWriter
sysadmin	NT SERVICE\Winmgmt
sysadmin	NT SERVICE\SQLAgent\$SQL2014

Detection of ServerAdmin Members

Role	Login\Member Name
------	-------------------

Detection of configuration setting

Configuration Setting	Value in Use
-----------------------	--------------

recovery interval (min)	0
allow updates	0
user connections	0
locks	0
open objects	0
fill factor (%)	0
disallow results from triggers	0
nested triggers	1
server trigger recursion	1
remote access	1
default language	0
cross db ownership chaining	0
max worker threads	0
network packet size (B)	4096
show advanced options	1
remote proc trans	0
c2 audit mode	0
default full-text language	1033
two digit year cutoff	2049
index create memory (KB)	0
priority boost	0
remote login timeout (s)	10
remote query timeout (s)	600
cursor threshold	-1
set working set size	0
user options	0
affinity mask	0
max text repl size (B)	65536
media retention	0
cost threshold for parallelism	5
max degree of parallelism	0
min memory per query (KB)	1024
query wait (s)	-1
min server memory (MB)	16
max server memory (MB)	6000
query governor cost limit	0
lightweight pooling	0
scan for startup procs	1
affinity64 mask	0
affinity I/O mask	0
affinity64 I/O mask	0
transform noise words	0
precompute rank	0
PH timeout (s)	60
clr enabled	1
max full-text crawl range	4
ft notify bandwidth (min)	0
ft notify bandwidth (max)	100
ft crawl bandwidth (min)	0
ft crawl bandwidth (max)	100
default trace enabled	1
blocked process threshold (s)	0
in-doubt xact resolution	0
remote admin connections	0
common criteria compliance enabled	0
EKM provider enabled	0
backup compression default	0
filestream access level	2
optimize for ad hoc workloads	0
access check cache bucket count	0
access check cache quota	0
backup checksum default	0
Agent XPs	0
Database Mail XPs	1
SMO and DMO XPs	1
Ole Automation Procedures	0
xp_cmdshell	0

```

Ad Hoc Distributed Queries          0
Replication XPs                    0
contained database authentication  0

```

Detection of code that automatically executes on startup

Name	Type	Created Date
Modified Date		

DQInitDQS_MAIN	SQL_STORED_PROCEDURE	2015-02-10
14:59:17.580 2015-02-10 14:59:17.597		

Detection of SQL Service Status

SQL Server\Instance Name	Service Name
Service Status	Status Date\Time

SQL2014	MS SQL Server Service
Running.	2015-03-02 18:36:25.450
SQL2014	SQL Server Agent Service
Stopped.	2015-03-02 18:36:25.463
SQL2014	SQL Browser Service - Instance Independent
Stopped.	2015-03-02 18:36:25.470
SQL2014	Intergration Service - Instance Independent
NOT INSTALLED	2015-03-02 18:36:25.480
SQL2014	Reporting Service
NOT INSTALLED	2015-03-02 18:36:25.487
SQL2014	Analysis Services
NOT INSTALLED	2015-03-02 18:36:25.490
SQL2014	Full Text Search Service
NOT INSTALLED	2015-03-02 18:36:25.497

Detection of location of Database files

Database ID	Database Name	Physical Location
Type		

1	master	
	D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\master.mdf	
ROWS		
1	mastlog	
	D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\mastlog.ldf	
LOG		
2	tempdev	
	D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\tempdb.mdf	
ROWS		
2	templog	
	D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\templog.ldf	
LOG		
3	modeldev	
	D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\model.mdf	
ROWS		
3	modellog	
	D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\modellog.ldf	
LOG		
4	MSDBData	
	D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\MSDBData.mdf	
ROWS		
4	MSDBLog	
	D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\MSDBLog.ldf	
LOG		
5	MDS01	

```

D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\MDS01.mdf
ROWS
5          MDS01_log
D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\MDS01_log.ldf
LOG
6          AdventureWorks2012_Data                      E:\SQL
Data\2014\AdventureWorks2012_Data.mdf
ROWS
6          AdventureWorks2012_Log                      E:\SQL
Data\2014\AdventureWorks2012_log.ldf
LOG
6          AdventureWorks2012_mod                      e:\SQL
Data\2014\AdventureWorks2012_mod
FILESTREAM
7          AdventureWorks2014_Data                      E:\SQL
Data\2014\AdventureWorks2014_Data.mdf
ROWS
7          AdventureWorks2014_Log                      E:\SQL
Data\2014\AdventureWorks2014_Log.ldf
LOG
8          AdventureWorksDW2012_Data                  E:\SQL
Data\2014\AdventureWorksDW2012_Data.mdf
ROWS
8          AdventureWorksDW2012_Log                  E:\SQL
Data\2014\AdventureWorksDW2012_log.ldf
LOG
9          FTS_Mon                                      E:\SQL
Data\2014\FTS_Mon.mdf
ROWS
9          FTS_Mon_log                                  E:\SQL
Data\2014\FTS_Mon_log.ldf
LOG
10         FullText                                    E:\SQL
Data\2014\FullText.mdf
ROWS
10         FullText_log                                E:\SQL
Data\2014\FullText_log.ldf
LOG
10         Filestream                                  E:\SQL
Data\2014\Filestream
FILESTREAM
11         DQS_MAIN
D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\DQS_MAIN.mdf
ROWS
11         DQS_MAIN_log
D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\DQS_MAIN_log.ldf
LOG
12         DQS_PROJECTS
D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\DQS_PROJECTS.mdf
ROWS
12         DQS_PROJECTS_log
D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\DQS_PROJECTS_log.ldf
LOG
13         DQS_STAGING_DATA
D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\DQS_STAGING_DATA.mdf
ROWS
13         DQS_STAGING_DATA_log
D:\SQLData\SQL2014\MSSQL12.SQL2014\MSSQL\DATA\DQS_STAGING_DATA_log.ldf
LOG

```

Detection of Link Servers		
Name	Product	Provider
Data Source		
-----	-----	
-----	-----	
##MS_DQS_CURRENT_SERVER##		SQLNCLI
NULL		

Detection of Database Collation type

Case sensitivity Descriptions

Case Insensitive = CI

Accent Insensitive = AI

Kanattype Insensitive = null

Width Insensitive = null

Case Sensitive = CS

Accent Sensitive = AS

Kanattype Sensitive = KS

Width Sensitive = WS

Database Name	Collation Type
master	Cyrillic_General_CI_AS
tempdb	Cyrillic_General_CI_AS
model	Cyrillic_General_CI_AS
msdb	Cyrillic_General_CI_AS
MDS01	Cyrillic_General_CI_AS
AdventureWorks2012	SQL_Latin1_General_CP1_CI_AS
AdventureWorks2014	SQL_Latin1_General_CP1_CI_AS
AdventureWorksDW2012	SQL_Latin1_General_CP1_CI_AS
FTS_Mon	Cyrillic_General_CI_AS
FullText	Cyrillic_General_CI_AS
DQS_MAIN	SQL_Latin1_General_CP1_CI_AS
DQS_PROJECTS	SQL_Latin1_General_CP1_CI_AS
DQS_STAGING_DATA	SQL_Latin1_General_CP1_CI_AS

Detection of Database Hard Drive Space Available

Database Name	Total disk space (Megabytes)
AdventureWorks2012	308
AdventureWorks2014	207
AdventureWorksDW2012	202
DQS_MAIN	503
DQS_PROJECTS	584
DQS_STAGING_DATA	5
FTS_Mon	7
FullText	419
master	7
MDS01	14
model	5
msdb	36
tempdb	8

Drive Letter	Free Disk Space (Megabytes)
C	42951
D	289710
E	59291

Detection of Database Information

Database ID	Name	User Access	Status	Recovery Model	Compatibility
1	master				120
MULTI_USER			ONLINE	SIMPLE	
2	tempdb				120
MULTI_USER			ONLINE	SIMPLE	
3	model				120
MULTI_USER			ONLINE	FULL	
4	msdb				120
MULTI_USER			ONLINE	SIMPLE	
5	MDS01				100

MULTI_USER	ONLINE	FULL	
6	AdventureWorks2012		120
MULTI_USER	ONLINE	SIMPLE	
7	AdventureWorks2014		120
MULTI_USER	ONLINE	SIMPLE	
8	AdventureWorksDW2012		120
MULTI_USER	ONLINE	SIMPLE	
9	FTS_Mon		120
MULTI_USER	ONLINE	SIMPLE	
10	FullText		120
MULTI_USER	ONLINE	SIMPLE	
11	DQS_MAIN		120
MULTI_USER	ONLINE	SIMPLE	
12	DQS_PROJECTS		120
MULTI_USER	ONLINE	SIMPLE	
13	DQS_STAGING_DATA		120
MULTI_USER	ONLINE	SIMPLE	

Detection of Database Backup Information

Warning: Null value is eliminated by an aggregate or other SET operation.

Database Name	Days Since Backup	Date Last Backed Up
---------------	-------------------	---------------------

Database Name	Days Since Backup	Date Last Backed Up
master	NEVER	NEVER
tempdb	NEVER	NEVER
model	NEVER	NEVER
msdb	NEVER	NEVER
MDS01	NEVER	NEVER
AdventureWorks2012	NEVER	NEVER
AdventureWorks2014	NEVER	NEVER
AdventureWorksDW2012	0	
03/02/2015		
FTS_Mon	NEVER	NEVER
FullText	NEVER	NEVER
DQS_MAIN	NEVER	NEVER
DQS_PROJECTS	NEVER	NEVER
DQS_STAGING_DATA	NEVER	NEVER

Detection of SQL Job Status

** No SQL Job Information **

SQL Job Name

Disabled SQL Jobs

** No Disabled Job Information **

Detection of SQL Mail Information

Database Mail Service Status

STARTED

principal_id	principal_name	profile_id	profile_name
is_default			

** No SQL Mail Service Details Information **

Detection of Database Mirroring Status

Database Name	Mirroring State
MDS01	Database Mirroring not configured
and/or set	
AdventureWorks2012	Database Mirroring not configured
and/or set	
AdventureWorks2014	Database Mirroring not configured
and/or set	
AdventureWorksDW2012	Database Mirroring not configured
and/or set	
FTS_Mon	Database Mirroring not configured
and/or set	
FullText	Database Mirroring not configured
and/or set	
DQS_MAIN	Database Mirroring not configured
and/or set	
DQS_PROJECTS	Database Mirroring not configured
and/or set	
DQS_STAGING_DATA	Database Mirroring not configured
and/or set	

** No Mirroring Configuration Information Detection of**

Detection of Database Log Shipping Status

** No Database Log Shipping Information Detection of **

Detection of Report Server (SSRS) Reports Information <--

** No SSRS Reports Information Detection of **

End of SQL Server Configuration Report